

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	"5701451".pn. or "5710918".pn. or "5721908".pn. or "5745754".pn. or "5752246".pn. or "5761663".pn. or "5793964".pn. or "5974416".pn. or "6192415".pn.	USPAT	OR	ON	2006/10/30 10:23
L2	1	"20050015375".pn. and serial\$6	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L3	1489	(Web adj Services adj Descriptive adj Language) or WSDL	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L4	1441	L3 and (generic nera3 (object or class))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L5	33	L3 and (generic near3 (object or class))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L6	8659	Web adj Service	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L7	100	L6 and (generic adj (class or object))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L8	14	L7 and WSDL	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L9	257	access same new same generic same object	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L10	3	L9 and WSDL	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L11	17	"5701451".pn. or "5710918".pn. or "5721908".pn. or "5745754".pn. or "5752246".pn. or "5761663".pn. or "5793964".pn. or "5974416".pn. or "6192415".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L12	48	("6061692" "6061692" "6219700" "6219700" "6393569" "6023464" "6442549" "6167449" "5918229" "5890171" "6418402" "6931429" "5889942" "6064979" "5778367" "5737533" "6324538" "6442598" "6608634" "6850940" "6134450" "6397219" "6466940" "6463454" "6466980" "5692180" "6119133" "5819285" "6249576" "5712979" "5717860" "5813006" "5812769" "6067568" "6195660" "6208998" "5995999" "6292880" "6453319" "5761499" "5893118" "6098108" "6336137" "6085030" "6292830" "6237022" "6516349" "6345266" "6629132" "5950173").pn.	USPAT	OR	ON	2006/10/30 10:23
L13	49	("5918227" "5923738" "5930341" "5937041" "6002394" "6078866" "6189003" "6381634" "6658389" "6701352" "6934684" "6980991" "6144959" "5548726" "5594921" "5758077" "6031977" "5826000" "5832211" "5852722" "5862323" "6078952" "6212557" "6212557" "6347312" "6360266" "6366954" "6381324" "6438549" "6498612" "5727156" "6253188" "6269369" "6714916" "6625603" "6012085" "6064977" "6147687" "6049831" "5794230" "5855020" "6002853" "6311194" "6732117" "6816864" "5893107" "6360230" "5896444" "6157705" "6345288").pn.	USPAT	OR	ON	2006/10/30 10:23
L14	48	("6697849" "6845503" "6859834" "6879995" "6944788" "6978461" "5742769" "5778369" "5787151" "5872914" "5905774" "5941947" "5999611" "6047289" "6061743" "6061743" "6108691" "6160877" "6484177" "5751956" "5870546" "5974453" "6049829" "6189030" "6385644" "6393468" "6418199" "6466966" "6629136" "6792426" "6857012" "6859833" "6862606" "6877026" "6078929" "5987480" "6463440" "6055525" "6081814" "6215863" "6215863" "6173279" "6915519" "5247670" "6477543" "5617568" "5689701" "5905860" "6014667" "5483652").pn.	USPAT	OR	ON	2006/10/30 10:23
L15	145	L12 or L13 or L14	USPAT	OR	ON	2006/10/30 10:23
L16	31	xmlinclude or (xml\$1include) or (xml adj include)	USPAT	OR	ON	2006/10/30 10:23
L17	222	xmlinclude or (xml\$1include) or (xml adj include)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L18	31	L17 and (wsdl)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23

EAST Search History

L19	136567	((common or general or universal or generic) adj object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L20	121	L19 and wsdI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L21	35	L20 and derived	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L22	137582	((common or general or universal or generic) adj object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L23	131	L22 and wsdI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L24	35	L21 and derived	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L25	38	generic adj object adj class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L26	1	xmlinclude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L27	43807	xml serialization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L28	82	xml adj serialization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L29	0	(xml adj serialization) and (derived adj datatypes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L30	8	(derived adj datatypes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23

EAST Search History

L31	2	"20050015375".pn. and flag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L32	2	"20050015375".pn. and (description adj document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L33	0	2005/0015375.pn. and (generate near3 database near3 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L34	0	2005/0015375.pn. and (generat\$5 near3 database near3 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L35	2	"20050015375".pn. and (generat\$5 near3 database near3 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L36	1	"20050015375".pn. and (intermediate adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L37	115	database same operation same search same create same method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L38	3	L37 and (web adj service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L39	1	"20020156685".pn. and (search and create)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:23
L40	14	(search adj method) and (create adj method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:23
L41	3	convert\$4 same compil\$4 same code same WSDL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L42	10	(convert\$4 same compil\$4 same code same description) and WSDL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23

EAST Search History

L43	12	("20030163597" "20030226109" "20040006550" "6356920" "6418448" "6635089" "6636845" "6658625" "6785673" "6785685" "6832219" "6853997").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 10:23
L44	22	(convert\$4 same compil\$4 near3 code) and WSDL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L45	15	(translat\$4 same compil\$4 near3 code) and WSDL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L46	1	(search adj method) and (create adj method) and (return same array same search same result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:23
L47	113	(return same array same search same result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:23
L48	18	((search adj (method or function)) same return same array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L49	80	(search adj result) near3 array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L50	0	(search adj (method or function) adj result) near3 array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L51	4	(search adj (method or function) near8 result) near3 array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L52	7	(search adj (method or function)) same (array near3 result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L53	139	(object or class) and ((search adj method) same array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L54	9	((search adj method) same returns same array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23

EAST Search History

L56	256	(class or object) same search same return same array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L57	0	"20040162871".pn. and search	USPAT	OR	OFF	2006/10/30 10:23
L58	1	"20040162871".pn. and search	US-PGPUB; USPAT	OR	OFF	2006/10/30 10:23
L59	8082	search adj method	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L60	178	L59 and web adj service	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L61	15	allow same heterogeneous same result same array same method	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L62	322	(search adj results) same array	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L63	68	method same (search adj results) same array	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L64	1	"20030233360".pn. and ((search adj results) same array)	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L65	3	(create adj method) same array same (operand or argument)	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L66	10	(create adj (method or function)) same array same (operand or argument)	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L67	562	SOAP and LDAP	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L68	303	L67 and (web adj service)	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L69	4	L68 and (create adj method)	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L70	3065	directory adj access adj protocol	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L71	2972	L70 and LDAP	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L72	374	L71 and (web adj service)	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L73	53	L72 and (serializ\$5 or deserializ\$5)	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L74	94	communicate same database same server same (directory near3 access near3 protocol)	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L75	1	(create adj method) same array near3 (operand or argument)	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L76	1	(create adj method) same (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L77	1	(create adj method) near3 (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L78	24634	(create adj method) an (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L79	16	(create adj method) and (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L80	2	(create adj object) same (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L81	87	(create adj object) and (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L82	0	(create adj function) same accepts same (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L83	0	(create adj function) same (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L84	0	(creat) same (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L85	74	(create) same (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23

EAST Search History

L86	252	serializ\$5 same elements same array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L87	8	L86 same (operand or argument)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L88	1489	(Web adj Services adj Descriptive adj Language) or WSDL	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L89	1441	L88 and (generic nera3 (object or class))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L90	8659	Web adj Service	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L91	100	L90 and (generic adj (class or object))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L92	257	access same new same generic same object	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L93	48	("6061692" "6061692" "6219700" "6219700" "6393569" "6023464" "6442549" "6167449" "5918229" "5890171" "6418402" "6931429" "5889942" "6064979" "5778367" "5737533" "6324538" "6442598" "6608634" "6850940" "6134450" "6397219" "6466940" "6463454" "6466980" "5692180" "6119133" "5819285" "6249576" "5712979" "5717860" "5813006" "5812769" "6067568" "6195660" "6208998" "5995999" "6292880" "6453319" "5761499" "5893118" "6098108" "6336137" "6085030" "6292830" "6237022" "6516349" "6345266" "6629132" "5950173").pn.	USPAT	OR	ON	2006/10/30 10:23
L94	49	("5918227" "5923738" "5930341" "5937041" "6002394" "6078866" "6189003" "6381634" "6658389" "6701352" "6934684" "6980991" "6144959" "5548726" "5594921" "5758077" "6031977" "5826000" "5832211" "5852722" "5862323" "6078952" "6212557" "6212557" "6347312" "6360266" "6366954" "6381324" "6438549" "6498612" "5727156" "6253188" "6269369" "6714916" "6625603" "6012085" "6064977" "6147687" "6049831" "5794230" "5855020" "6002853" "6311194" "6732117" "6816864" "5893107" "6360230" "5896444" "6157705" "6345288").pn.	USPAT	OR	ON	2006/10/30 10:23
L95	48	("6697849" "6845503" "6859834" "6879995" "6944788" "6978461" "5742769" "5778369" "5787151" "5872914" "5905774" "5941947" "5999611" "6047289" "6061743" "6061743" "6108691" "6160877" "6484177" "5751956" "5870546" "5974453" "6049829" "6189030" "6385644" "6393468" "6418199" "6466966" "6629136" "6792426" "6857012" "6859833" "6862606" "6877026" "6078929" "5987480" "6463440" "6055525" "6081814" "6215863" "6215863" "6173279" "6915519" "5247670" "6477543" "5617568" "5689701" "5905860" "6014667" "5483652").pn.	USPAT	OR	ON	2006/10/30 10:23
L96	222	xmlinclude or (xml\$1include) or (xml adj include)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L97	136567	((common or general or universal or gernic) adj object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L98	121	L97 and wsd1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L99	137582	((common or general or universal or generic) adj object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23

EAST Search History

L100	131	L99 and wsdl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L101	43807	xml serialization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L102	0	(xml adj serialization) and (derived adj datatypes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L103	0	2005/0015375.pn. and (generate near3 database near3 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L104	0	2005/0015375.pn. and (generat\$5 near3 database near3 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L105	115	database same operation same search same create same method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L106	0	(search adj (method or function) adj result) near3 array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L107	0	"20040162871".pn. and search	USPAT	OR	OFF	2006/10/30 10:23
L108	8082	search adj method	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L109	322	(search adj results) same array	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L110	562	SOAP and LDAP	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L111	303	L110 and (web adj service)	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L112	3065	directory adj access adj protocol	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L113	2972	L112 and LDAP	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L114	374	L113 and (web adj service)	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L115	1	(create adj method) same (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L116	1	(create adj method) near3 (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L117	24634	(create adj method) an (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L118	0	(create adj function) same accepts same (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L119	0	(create adj function) same (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L120	0	(creat) same (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23

EAST Search History

L121	252	serializ\$5 same elements same array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L122	1	"20050015375".pn. and serial\$6	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L123	1	xmlinclude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L124	1	"20050015375".pn. and (intermediate adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L125	1	"20020156685".pn. and (search and create)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:23
L126	1	(search adj method) and (create adj method) and (return same array same search same result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:23
L127	1	"20040162871".pn. and search	US-PGPUB; USPAT	OR	OFF	2006/10/30 10:23
L128	1	"20030233360".pn. and ((search adj results) same array)	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L129	1	(create adj method) same array near3 (operand or argument)	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L130	9	"5701451".pn. or "5710918".pn. or "5721908".pn. or "5745754".pn. or "5752246".pn. or "5761663".pn. or "5793964".pn. or "5974416".pn. or "6192415".pn.	USPAT	OR	ON	2006/10/30 10:23
L131	33	L88 and (generic near3 (object or class))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L132	14	L91 and WSDL	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L133	3	L92 and WSDL	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L134	17	"5701451".pn. or "5710918".pn. or "5721908".pn. or "5745754".pn. or "5752246".pn. or "5761663".pn. or "5793964".pn. or "5974416".pn. or "6192415".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L135	31	xmlinclude or (xml\$1include) or (xml adj include)	USPAT	OR	ON	2006/10/30 10:23
L136	31	L96 and (wsdl)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L137	35	L98 and derived	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L138	35	L137 and derived	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23

EAST Search History

L139	38	generic adj object adj class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L140	82	xml adj serialization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L141	8	(derived adj datatypes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L142	2	"20050015375".pn. and flag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L143	2	"20050015375".pn. and (description adj document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L144	2	"20050015375".pn. and (generat\$5 near3 database near3 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L145	3	L105 and (web adj service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L146	14	(search adj method) and (create adj method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:23
L147	3	convert\$4 same compil\$4 same code same WSDL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L148	10	(convert\$4 same compil\$4 same code same description) and WSDL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L149	12	("20030163597" "20030226109" "20040006550" "6356920" "6418448" "6635089" "6636845" "6658625" "6785673" "6785685" "6832219" "6853997").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 10:23
L150	22	(convert\$4 same compil\$4 near3 code) and WSDL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23

EAST Search History

L151	15	(translat\$4 same compil\$4 near3 code) and WSDL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L152	18	((search adj (method or function)) same return same array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L153	80	(search adj result) near3 array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L154	4	(search adj (method or function) near8 result) near3 array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L155	7	(search adj (method or function)) same (array near3 result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L156	9	((search adj method) same returns same array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L157	15	allow same heterogeneous same result same array same method	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L158	68	method same (search adj results) same array	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L159	3	(create adj method) same array same (operand or argument)	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L160	10	(create adj (method or function)) same array same (operand or argument)	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L161	4	L111 and (create adj method)	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L162	53	L114 and (serializ\$5 or deserializ\$5)	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L163	94	communicate same database same server same (directory near3 access near3 protocol)	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L164	16	(create adj method) and (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L165	2	(create adj object) same (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L166	87	(create adj object) and (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L167	74	(create) same (array near3 (operand or argument))	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L168	8	L121 same (operand or argument)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L169	145	L93 or L94 or L95	USPAT	OR	ON	2006/10/30 10:23

EAST Search History

L170	113	(return same array same search same result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:23
L171	139	(object or class) and ((search adj method) same array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L172	178	L108 and web adj service	US-PGPUB; USPAT	OR	ON	2006/10/30 10:23
L173	256	(class or object) same search same return same array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L174	252	serializ\$5 same elements same array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L176	2	"5778378".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L177	2	"5983267".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L178	2	"5778378".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L179	1	L178 and ((document near3 annotation) or annotator. or annotation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L180	0	(web adj service) with (deriv\$5) with (parent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L181	99	(web adj service) with (deriv\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L182	0	(web adj server) with (deriv\$5) with (parent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23

EAST Search History

L183	2	"20050138634".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L184	16	directory near3 discovery near3 (web adj service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L185	2	"20050015375".pn. and (media or medium or wave)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L186	1	"20050015375".pn. and UDDI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23
L187	2	"20050015375".pn. and (media or medium or wave or carrier or transmission or communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 10:23